

www.PetroRigs.com





www.PetroRigs.com

www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

www.PetroRigs.com

www.PetroRigs.com





www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

www.PetroRigs.com



www.PetroRigs.com

FILTER INSIDE

FILTER INSIDE

FLETRAL PX250-06 3/8" 5000 PSI WP EN857 2SC MSHA

CAT
1R-1808

Hydraulic Return

Hydraulic

www.PetroRigs.com

5044712



SAE 100R1AT 4Q17

FLHTPRAL GX-16 1" 12

FLHTPRAL GX-16 1" 1275 PS/WP EN853-1SM MSHA-IC-8MT EXCEEDS/SAE 100R1AT

www.PetroRigs.com

PX250-06
3/8" 5000 PSI WP EN857 25C



www.PetroRigs.com

TRIS-824-144
4000R
15,000 ACSE
25,200 LBES
4,150 ACSE
8,150 LBES
11,050 ACSE
26,100 LBES

ALARM

System consistency check
Please wait..

This may take several minutes
do not power down!

AUTRO
SAFE

 Power

www.PetroRigs.com



Oil & Gas

HTS 24V

CAT. INC. NO. **BA-921**
CAT BENDIX NO. **385-0944**
K06683
BENDIX PRODUCT - ASSY IN MEXICO

www.PetroRigs.com





**CAUTION
HOT TEMP
DO NOT TOUCH**

**MAX OIL
TEMP**

www.PetroRigs.com

← OIL LEVEL WITH UNIT RUNNING
(Do Not Fill Above This Level While Running HPU)



www.PetroRigs.com

(UL) E85994 BR782 110C 20 16AWG(1.31 SQ MM)+GROUND TC-FR-41



www.PetroRigs.com



www.PetroRigs.com

1 TON MAX WLL



www.PetroRigs.com

Hydraulic Pressure

Hydraulic Return

Hydraulic Pressure

Hydraulic Return

0 PSI W/P MSHA IC-1041

ALARM



AUTRO SAFE
Self Verify

- Mute Int. Buzzer
- Silence Alarm
- Reset System
Access level 1, Lamp Test

www.PetroRigs.com



Power

Menu

Close Window

1 2 abc 3 call

4 call 5 call 6 call

7 call 8 call 9 call

* 0

↑ ↓ ← →

↑ ↓ ← →