



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

← 8'4" →

www.PetroRigs.com

120" H

← 13'7" →





www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

www.PetroRigs.com

inEx

WEDCO
WELLSERVICES INTERNATIONAL
10000 W. 10th Ave.
Denver, CO 80202
www.wedco.com

DO NOT OPERATE BY
DO NOT OPEN WHEN ENERGIZED

OFF

ON

REEL BRAKE
PRESSURE

REEL BRAKE

WIPER



www.PetroRigs.com



www.PetroRigs.com



indEx

MEDCO
Mud Motor Control
Voltage 120 vac
Max Current 5 amp
100% INSULATOR DIS
DO NOT OPEN WHEN ENERGISED
www.medco.com

OFF

ON

www.PetroRigs.com



OFF
ON
MAIN POWER

POWER



IGNITION

www.PetroRigs.com

UP
THROTTLE

REEL LUBE




REEL LUBE





www.PetroRigs.com



www.PetroRigs.com





www.PetroRigs.com

www.PetroRigs.com

PIERAGEON PFR1320 Plex-Force 1 1/4" IDN 31 mm - EN 856 / SAE 100 R13 - WP 5000 PSI / 350 BAR - Flame Resistant MSHA IC 9472



www.PetroRigs.com



WARREN CAT

www.PetroRigs.com

← 8'4" →



www.PetroRigs.com

← 84" →



www.PetroRigs.com



www.PetroRigs.com

HYDRAULIC FLUID

www.PetroRigs.com

← 8'4" →

8'6" H

R10# 0338762





www.PetroRigs.com

← 8'4" →



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com



www.PetroRigs.com

10'6" H



www.PetroRigs.com